




DAKOTA

310

The Dakota 310 is designed to ensure you can take Dakota's renowned spread anywhere. The small and very manoeuvrable dual spinner topdresser has a six-metre wide spread that can be infinitely varied using the individual and controls, making it perfect for spreading sand, rubber crumb and other top dressings on sports surfaces wherever they're located.

Specification

Spreading width	up to 6m (minimum spread width 2.40m)
Hopper size	0.91m (L) x 0.86m(W) x 0.45m(H)
Hopper load height	0.96m
Hopper capacity heaped)	0.29m ³ (level) - 0.34 ³ (heaped) (15cm heaped)
Weight (approx)	363kg unladen
Engine	Honda GX340
Tyre size	18 x 9.50 x 8



Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

[CampeyTurfCare](#)
[CampeySportsTurfMachinery](#)
[CampeyMachinery](#)
[CampeyTurfCare](#)

DAKOTA



OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

410 Mounted

The Dakota 410 is specially designed to be body mounted on the John Deere Pro-Gator and Toro Workman. It will handle both wet & dry materials, allowing light to heavy dressing and can easily be loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate calibration, with no manual adjustment*. The 410 is easy to fit and allows for easy servicing due to its hydraulic lift function. It can be used to fill bunkers or drainage runs with optional accessories. Wide spread pattern via dual spinner discharge system.

Specification

Spreading width	3.5m - 13.0m variable
Hopper size	0.91m (W) x 1.93m (L) x 0.36m (deep)
Hopper load height	1.37m
Hopper capacity	0.65m ³ (level) - 0.76m ³ (heaped)
Weight (approx)	354kg
Options:	*Electric / hydraulic or manual controls Hydraulic rear door shut-off Rear mounted cross conveyor Rear mounted stone/gravel chute Parking stand
Vehicle requirements	Hi-Flow hydraulics

(for John Deere, Toro and Jacobsen)

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

CampeyTurfCare CampeySportsTurfMachinery CampeyMachinery CampeyTurfCare



DAKOTA

410 Towed

The Dakota 410 is specially designed for the fast transportation and application of top dressing. It will handle both wet and dry materials, allowing light to heavy dressing, and features an accurate and easy to operate electronic calibration system. In addition, the 410 features Ultra Trac turf tyres, an A-Frame hitch with adjustable height and a dual spinner discharge system. Using optional accessories, it can be used to fill bunkers or drainage runs with a 15cm hopper extension also available.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	0.91m (W) x 1.93m (L) x 0.36m (deep)
Hopper load height	1.27m
Hopper capacity	0.65m ³ (level) - 0.76m ³ (heaped)
Capacity with 15cm extension	0.91m ³ (level) - 1.02m ³ (heaped)
Weight	645kg approx
Tractor requirements	Vehicle of approx 20hp min with towing capability
Options:	Hydraulic rear door shut-off Rear mounted cross conveyor / 15cm hopper ext. Rear mounted stone / gravel chute Electric / hydraulic or manual controls
Tyres	2 x Ultra Trac 26.5 x 14 x 12

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

[CampeyTurfCare](#)
[CampeySportsTurfMachinery](#)
[CampeyMachinery](#)
[CampeyTurfCare](#)

DAKOTA

Campey
TURF CARE SYSTEMS
QUALITY GROUND CARE EQUIPMENT

OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

411 Towed

The Dakota 411 is specially designed for the fast transportation and application of top dressing. It will handle both wet and dry materials allowing light to heavy dressings, and can easily be loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate calibration with no manual adjustment*, and 4 x 14" Ultra-Trac turf tyres, on independent floating beam axles, for maximum weight distribution. Optional accessories for material handling and a 28cm deep hopper extension are also available.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	0.91m (W) x 1.93m (L) x 0.36m (deep)
Hopper load height	1.27m
Hopper capacity	0.65m ³ (level) - 0.76m ³ (heaped)
Capacity with 28cm extension	1.14m ³ (level) - 1.25m ³ (heaped)
Overall length & width / weight	3.66m x 2.08m / 525kg
Tyres	4 x Ultra Trac 26.5 x 14 x 12
Tractor requirements	30hp
Options:	*Electric / hydraulic or manual controls. Hydraulic rear door shut-off Rear cross Conveyor. 28cm Hopper extension Rear mounted stone/gravel chute

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

[CampeyTurfCare](#) [CampeySportsTurfMachinery](#) [CampeyMachinery](#) [CampeyTurfCare](#)



DAKOTA

412 Towed

The Dakota 412 is a mid-range topdresser for the fast transportation and application of top dressing. It will handle both wet and dry materials allowing light to heavy dressings, and can be easily loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate calibration with no manual adjustment and features 4 x 14" Ultra-Trac turf tyres, on independent floating beam axles, for maximum weight distribution. Controls are electro-hydraulic operated from the operator's seat, with the basic manual model using elec stop - start with no vibration.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	1.52m (W) x 1.93m (L) x 0.96m (deep)
Hopper load height	1.68m
Hopper capacity	1.53m ³ (level) - 1.85m ³ (heaped)
Weight (approx)	827kg (3549kg G.V.W)
Overall length & width	3.95m x 2.08
Tyres 4 x Ultra Trac	26.5 x 14 x 12
Tractor requirements	35hp
Options:	Hydraulic rear door shut-off Electric / hydraulic or manual controls



Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

[CampeyTurfCare](#)
[CampeySportsTurfMachinery](#)
[CampeyMachinery](#)
[CampeyTurfCare](#)



DAKOTA

414 Towed

The Dakota 414 is a large towed topdresser with a huge 3.25m³ capacity hopper. It will handle both wet and dry material allowing light to heavy dressing, and can be easily loaded with a 1.8m tractor bucket. It features accurate and easy calibration with no manual adjustment using the full electric/hydraulic cab mounted console, which allows a variable spreading width up to 13m wide via the dual spinner system. In addition, the 414 features 4 x 20" Supatrac turf tyres on independent floating beam axles for maximum flotation.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	1.78m (W) x 2.54m (L) x 1.00m (deep)
Hopper load height	2.00m
Hopper capacity	3.25m ³ (level) - 3.82m ³ (heaped)
Weight (approx)	1361kg (5,897kg G.V.W.)
Overall length & width	4.77m x 2.44m
Tyres	4 x Supa Trac tyres 33 x 20 x 16.1
Tractor requirements	40hp minimum
Options:	Hydraulic rear door shut-off

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

[CampeyTurfCare](#)
[CampeySportsTurfMachinery](#)
[CampeyMachinery](#)
[CampeyTurfCare](#)



DAKOTA

420 Towed

The Dakota 420 is a mid-range topdresser and multi-function material handler. It will handle both wet and dry material allowing light to heavy dressing and can be loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate full electric / hydraulic calibration with no manual adjustment, all from the vehicle mounted control panel. The 420 has 4 x 14" Ultra Trac turf tyres on independent floating beam axles, large capacity hopper, front mounted side conveyor and spreading width up to 13m wide via the dual spinner discharge system.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	1.52m (W) x 1.93m (L) x 0.76m (deep)
Hopper load height	1.68m
Hopper capacity	1.53m ³ (level) - 1.85m ³ (heaped)
Overall length & width	4.36m x 2.08m
Weight	1360kg
Side-arm conveyor	35cm wide. 120cm - 185cm discharge height
Tyres 4 x Ultra Trac	26.5 x 14 x 12
Tractor requirements	30hp minimum
Options:	Hydraulic rear door shut-off Front mounted stone / gravel chute Front mounted box scraper

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com



DAKOTA

440 Towed

The Dakota 440 is a large capacity, highly versatile topdresser and material handler. It will handle both wet and dry material allowing light to heavy dressing and can be loaded with a 1.8m wide tractor bucket. It features accurate and easy to operate full electric / hydraulic calibration with no manual adjustment, all from the vehicle mounted control panel. The 440 has 4 x 20" Supa Trac turf tyres on independent floating beam axles, large capacity hopper, front mounted side conveyor and spreading width up to 13m wide via the dual spinner discharge system. Full electric / hydraulic controls.

Specification

Spreading width	3.5m - 13.0m (dependant on tractor oil flow)
Hopper size	1.78m (W) x 2.54m (L) x 1.00m (deep)
Hopper load height	2.00m
Hopper capacity	3.25m ³ (level) - 3.82m ³ (heaped)
Overall length & width / weight	4.77m x 2.44m / 1750kg
Side-arm conveyor	35cm wide. 120cm - 185cm discharge height.
Tyres	4 Supa Trac tyres, 33 x 20 x 16.1
Tractor requirements	40hp minimum
Options:	Hydraulic rear door shut-off Front mounted box scraper / Blender Option Front mounted stone/gravel chute

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

DAKOTA

Campey
TURF CARE SYSTEMS
QUALITY GROUND CARE EQUIPMENT

OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

Options

A front mounted, floating Box Scraper is available for the 440 and 420 models, for creating layers of dressing during construction or renovation.

Automatic, hydraulic rear doors are available for all models.

Front mounted stone/gravel chutes are available for 440 and 420 models. Rear stone/gravel chutes are available for 410 and 411 models.

The Dakota 440 Blender option is an adjustable, material mixing system to pre-mix material before discharge and is mounted on the front of the main hopper.

Rear mounted cross conveyors are available for 410 and 411 models.



Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

[CampeyTurfCare](#) [CampeySportsTurfMachinery](#) [CampeyMachinery](#) [CampeyTurfCare](#)

DAKOTA



OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

Turf Trailer

The Dakota Turf Trailer is an easy to manoeuvre large capacity hydraulic lift turf trailer. It features an automatic opening tailgate, 65° tipping angle, removable sides, jack stands, A-Frame construction and 4 x 16" width Ultra Trac flotation tyres on independent walking beam axles. All functions of the trailer are controlled from the tractor seat.

Specification	525	550
Body length	2.15m	3.05m
Body width	1.40m	2.13m
Body (side) height	0.82m	0.96m
Body capacity (m³)	1.53m³ (level)	3.06m³ (level)
Body capacity (kg)	2,500kg (level)	5,000kg (level)
Overall length & width	4.36m x 2.08m	4.88m x 2.44m
Weight (unladen)	862kg	1,368kg
Tyres 4 x Ultra Trac SupaTrac flotation tyres	26.5 x 14 x 12	33 x 20 x 16.1
Tractor requirements	27hp minimum	27hp minimum



Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

CampeyTurfCare CampeySportsTurfMachinery CampeyMachinery CampeyTurfCare

DAKOTA



OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

D60 Box Scraper

Specifically designed for mounting behind bunker rakes, the D60 lightweight box scraper is perfect for construction and shaping. The compact unit is ideal for moving and shaping small volumes of material and for the final levelling of the surface.

Specification

Working width	1.50m
Approx weight	45kg

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

[Twitter](#) CampeyTurfCare [Facebook](#) CampeySportsTurfMachinery [YouTube](#) CampeyMachinery [Instagram](#) CampeyTurfCare

DAKOTA



OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

Soil Movers

Dakota make a range of tractor towed soil movers for moving and levelling soil and sand. Ideal for landscaping, grading and shaping during the construction or repair work on golf courses, sports fields or other amenity sites. With ripper teeth fitted, more aggressive work can be carried out, such as breaking up compacted ground or pathways. Features include hydraulic height control, standard hydraulic two-way tilt on rear wheels (on 2.4m and 3.0m models only), hydraulically retractable ripper teeth & bolt-on straight edge. Available in three working widths. Can be adapted for laser levelling either single grade or dual grade.

Specification

Working widths	1206 = 1.8m wide 1208 = 2.4m wide 1210 = 3.0m wide
Ripping teeth	1206 = 6 hydraulically lifting teeth 1208 = 8 hydraulically lifting teeth 1210 = 12 hydraulically lifting ripper teeth
Tyres	2 x 26.5 -14 x 12

Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

CampeyTurfCare CampeySportsTurfMachinery CampeyMachinery CampeyTurfCare

DAKOTA

Campey
TURF CARE SYSTEMS
QUALITY GROUND CARE EQUIPMENT

OFFICIAL
DAKOTA
DISTRIBUTOR
campeyturfcare.com



DAKOTA

TB 220 Brush

The Dakota TB 220 Turf Brush is used for several routine maintenance tasks including GROOMING – lifting the long, laid-over grass blades so a mower can cleanly cut them; for MOVING TOPDRESSING into the canopy of the turf; and it's perfect for BACKFILLING voids after aerating, spiking, or verticutting procedures. The TB 220 Grooming Brush, US Patent No. 9,185,150 a versatile, labor-saving grooming tool for turf that improves the appearance, playing quality, and growing conditions of golf courses and sports fields. An affordable investment for a turf manager's program from 9 hole courses to major tournament venues.

Specification

Working width	1.3m
Overall width	165cm
Length	285cm
Height	62.5cm
Brush Diameter	37.5cm
Control Cable (electric) Length	375cm 12V actuator
Tyre sizes - Drive wheels	16 x 6.50 - 8
Weight	168kgs



Campey supply market leading, innovative turf care machinery worldwide, we're continually researching new techniques and refining existing practices to help turf care professionals achieve perfection.

Call +44 (0)1260 224568, email info@campeyturfcare.com or visit www.campeyturfcare.com

[CampeyTurfCare](#) [CampeySportsTurfMachinery](#) [CampeyMachinery](#) [CampeyTurfCare](#)