



4052R

## Key Specs

Engine Make - Yanmar®

Displacement - 179 cu in

Rated Engine Power - 38 kW

Rated Engine Power - 51 PS

Maximum Engine Power - 38 kW

Maximum Engine Power - 51 PS

Transmission Type - Hydrostatic transmission 3F/3R

Rear Hitch Category (SAE Designation) - Category 1

Base Machine Weight - 2174 kg

## Machine Configuration

Wheel or Track Configuration - Wheel

Drive Type - 4WD

## Engine

Engine Make - Yanmar®

Emissions Certifications - Stage V

Displacement - 179 cu in

Aspiration - Turbocharged

Number of Cylinders - 4

Cylinder Liners - Cast-in-block

Rated Engine Speed - 2600 rpm

## Engine

Rated Engine Power - 38 kW

Rated Engine Power - 51 PS

Engine Torque at Rated Speed - 139 Nm

Maximum Engine Power - 38 kW

Maximum Engine Power - 51 PS

Maximum Engine Torque - At 1600 rpm: 1732 Nm 1277 lb-ft

Bore and Stroke - 88x90 mm

Compression Ratio - 19.1:1

Lubrication - Pressurized

Cooling System Type - Liquid

Fuel Type - Diesel

Air Cleaner Type - Dry type with safety element

## Transmission

Transmission Type - Hydrostatic transmission 3F/3R

Clutch - Wet disk

Cruise Control - Cab only

## Rear Power Take-Off (PTO)

Rated PTO Power - 29 kW

Engagement Method - Independent

PTO Clutch - Wet disk

Brake (For Mid and Rear PTO) - Wet disk

## Rear Hitch

Rear Hitch Category (SAE Designation) - Category 1

Maximum Lift Capacity at 610-mm Behind Hitch Point - 2709.5 lb 1229 kg

## Hydraulics

Hydraulic System Type - Open center

Maximum Operating Pressure - 172 bar

## Rear Axle

Rear Differential Lock - Yes

## Rear Axle

Final Drive - Planetary

## Steering & Brakes

Steering Type - Power-assisted

Primary Brakes - Wet disk

## Electrical System

Battery Cold Cranking Amps - 500 CCA

Alternator Capacity - 75 amp

## Operator Station

ROPS Type - Fixed

## Capacities

Fuel Tank Capacity - 56 L

Transmission - Hydraulic System - 47.3 L

Crankcase Oil Volume - 5.3 L

## Dimensions & Weights

Wheelbase - 1850 mm

Base Machine Weight - 2174 kg

Front Axle Ground Clearance - 288 mm